

SIMPLIFIED INNOVATIONS!

SCS MARBLE SINTERED COMPACT SURFACE



## VERSATILE SIZES AND SURFACES FOR INNOVATIVE SPACES.

SINTERED COMPACT SURFACE is one of the most innovative and versatile surface covering material invented in this century and Simpolo is the first company in India to introduce the same.

All natural marbles, granites and other varieties of stones are created in thousands of years by nature through extreme heat and dynamic pressure.

SINTERED COMPACT SURFACE is made by accelerating this process in factories, through the use of finest mix of natural raw materials' (Plastic clay component > 20%) and compacting them to very high pressure by using gea-lamina 44,000 tones hydraulic presses and sintering (vitrification) through heat treatment.

### SCS MARBLE SINTERED COMPACT SURFACE

SURFACE ART
MARBLE \ CONCRETE \ WOOD

size 80x160cm \ 120x120cm \ 20x160cm

#### **IECHNICAL FEATURES**



For wall application



For floor application



Sintering technology



Impact resistance



Fine detailing



Stain resistant



Water resistant



More glossiness CONCRETE 80x160cm

CONCRETE 120x120cm

### SIMPLIFIED SURFACES!


MARBLE 120x120cm

MARBLE 80x160cm

WOOD 20x160cm

## FURNITURE \ DOOR \ TABLE SHELF \ WALL \ FLOOR COUNTER TOP \ FIRE PLACE

Simpolo brings a wide range of such surfaces and invites architects, engineers, builders and consumers to explore this wonder of modern world which is fast becoming the first choice for all modern houses and projects.





SCS MARBLE SINTERED COMPACT SURFACE

# 80x16Cm

798x1598mm


# BEAUTY DOES NOT COME FROM WEALTH BUT FROM VIRTUE.

This collection with its timeless beauty has so many virtues. It interacts with every style and can cover any surface without limits or boundaries. The natural, substantial, visual and tactile appeal of marble.

SURFACE ART

**MARBLE** 


"BEAUTY IS
FULFILMENT OF A FORM.
A THING IS BEAUTIFUL WHEN IT
FULFILS ITS PURPOSE"





#### MODERN STATUARIO

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face



#### MODERN STATUARIO


1198x1198mm / 120x120cm • 9mm High Glossy, Silk Polish Random Face

#### **BOOKMATCHING**

SCS MARBLE is made more precious by means of a Bookmatched composition. An aesthetic possibility, which is extremely prestigious, elegant and exclusive. Coverings featuring this effect are a great opportunity to make any surface unforgettable and refined.

#### MODERN STATUARIO

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish A + B Face






Outstanding beauty



#### BRIMBAU BOOKMATCH

**798x1598mm** / 80x160cm • **9mm** Silk Polish A + B Face



Fully customizable







#### BLUE BRESCIA BOOKMATCH

**798x1598mm** / 80x160cm • **9mm**High Glossy, Silk Polish
A + B Face





EMPERADOR ASH

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face



CHAMPION GREY

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face









#### FOREVER BEIGE

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face



#### ANTIQUE CREMA

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face



Water proof




BRESCIA SEEMLESS



#### DIANO PEARL



Frost proof









#### **AURORA LIGHT**

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face



#### DYNO ROYAL

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face



Water proof



ARMANI GREY

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face




<u>ARMANI BRONZE</u>

**798x1598mm** / 80x160cm • **9mm** High Glossy, Silk Polish Random Face




Frost proof







DARK OLIVE



DARK EMPERADOR



Fully customizable



#### CREMA DINOVA


**798x1598mm** / 80x160cm • **9mm** High Glossy Random Face



#### ICE DINOVA



Stain resistant







SPARKLE GREY



VINTAGE BROWN



Frost proof



ROYAL BEIGE




RED ROCK GRIGIO



Stain resistant







#### **BLACK PORTORO**

**798x1598mm** / 80x160cm • **9mm** High Glossy Random Face




CLASSIC TRAVERTINE SILVER




<u>WILLIAM BROWN</u>



Water proof





SCS MARBLE SINTERED COMPACT SURFACE

# 120x12Cm

1198x1198mm

# THE ETERNAL SOUL OF A PROJECT WITHOUT BOUNDARIES.

We are continuing the journey that has led us to create SCS Marble. This is another step beyond the objective of reaching the beauty of material. They have the capacity to make any environment special.

**SURFACE ART** 

**MARBLE** 








## 1198x1198mm / 120x120cm • 9mm High Glossy, Silk Polish Random Face



# CHAMPION GREY

1198x1198mm / 120x120cm • 9mm High Glossy, Silk Polish Random Face





# FOREVER BEIGE


1198x1198mm / 120x120cm • 9mm High Glossy, Silk Polish Random Face



# ARMANI GREY

1198x1198mm / 120x120cm • 9mm High Glossy, Silk Polish Random Face









1198x1198mm / 120x120cm • 9mm High Glossy, Silk Polish Random Face





# **BOTTOCHINO CLASSICA**






Frost proof

# DYNO ROYAL

1198x1198mm / 120x120cm • 9mm High Glossy, Silk Polish Random Face



# BLUE BRESCIA







Fully customizable

# BRESCIA SEEMLESS

1198x1198mm / 120x120cm • 9mm High Glossy Random Face





# DIANO PEARL






# ICE DINOVA

1198x1198mm / 120x120cm • 9mm High Glossy Random Face



# CREMA DINOVA









# FIRED CONCRETE BIANCO

**798x1598mm** / 80x160cm • **9mm** Matt Random Face



# FIRED CONCRETE CALCE

**798x1598mm** / 80x160cm • **9mm** Matt Random Face



<u>POZZOLANA SMOKE</u>

**798x1598mm** / 80x160cm • **9mm** Matt Random Face




<u>POZZOLANA GRIS</u>

**798x1598mm** / 80x160cm • **9mm** Matt Random Face



POZZOLANA NERO

**798x1598mm** / 80x160cm • **9mm** Matt Random Face







POZZOLANA CREMA

**798x1598mm** / 80x160cm • **9mm** Matt Random Face



POZZOLANA BURLY

**798x1598mm** / 80x160cm • **9mm** Matt Random Face



POZZOLANA TOBACCO

**798x1598mm** / 80x160cm • **9mm** Matt Random Face



SCS CONCRETE SINTERED COMPACT SURFACE

# 120x126

1198x1198mm

# INSPIRED BY THE ARCHITECTURE AND SEAMLESS SIMPLICITY

Stunning color options and Matt finish to lend your designs character and exclusive elegance. The ideal choice for retail outlets, restaurants, shopping centres, large architectural spaces, and any other setting where the design needs to be stylish and to stand out.

SURFACE ART

CONCRETE



POZZOLANA SMOKE

**1198x1198mm /** 120x120cm • **9mm** Matt Random Face





POZZOLANA GRIS

**1198x1198mm /** 120x120cm • **9mm** Matt Random Face


# POZZOLANA NERO


**1198x1198mm /** 120x120cm • **9mm** Matt Random Face 1198x1198mm / 120x120cm

Floor: POZZOLANA GRIS

SCS CONCRETE SINTERED COMPACT SURFACE








POZZOLANA CREMA

**1198x1198mm /** 120x120cm • **9mm** Matt Random Face



POZZOLANA BURLY

**1198x1198mm /** 120x120cm • **9mm** Matt Random Face



# POZZOLANA TOBACCO

1198x1198mm / 120x120cm • 9mm Matt Random Face



SCS WOODS
SINTERED COMPACT SURFACE

20x16Cm

198x1598mm

# AESTHETIC CONCEPT OF REFINEMENT AND SIGNIFICANT

The combination of these very special series instantly evoke a sense of nature wherever they are laid. We work each day to transmit these values to our customers, focusing on innovation and differentiation that set us apart from the rest.

SURFACE ART

WOODS



# OAK WOOD GOLDEN


**198x1598mm /** 20x160cm • **9mm** Matt Random Face



# OAK WOOD BROWN

**198x1598mm /** 20x160cm • **9mm** Matt Random Face







# SEQUILA ONICATA

**198x1598mm /** 20x160cm • **9mm** Matt Random Face



# SEQUILA BROWN

198x1598mm / 20x160cm • 9mm Matt Random Face

# **INSTALLATION SUGGESTIONS**

### TRADITIONAL FLOOR LAYING

Laying SIMPOLO SCS requires similar laying conditions to those required for traditional formats. Requires the adhesive to be applied both on the setting bed and on the back of the tile.

SIMPOLO Tiles for flooring require the following conditions:

- A flat surface;
- Clean and free from dust, scraps and any lumps of cement;
- The setting bed must be uniform and have already undergone the drying shrinkage process;
- · Repair of any cracks
- Any uneven parts on the surface must be filled with suitable levelling compounds.

### INSTRUMENTS REQUIRED

- Cement-based powder adhesive for full spread
- 3x3mm square toothed trowel and 15mm round toothed trowel;
- Frame with suction cups for handling or double suction cups;
- Non-bounce plastic mallet 170x370mm;
- Levelling system: base clip + wedge + pliers.

Processing stages

### BONDING TO THE FLOOR

- 1) Ensure that the surface to be covered is solid, flat and free from dust and oil/grease.
- 2) Use the adhesives described above mixed according to the specifications indicated in the technical data sheet of the chosen adhesive.
- 3) Spread the adhesive onto the surface to be covered with a 15mm round toothed trowel across an area of 5/10 cm more than the dimensions of the Tile.
- 4) With the tile in a vertical position on the handling frame, spread the adhesive onto the back of the slab with a 3x3mm square toothed trowel.
- 5) Using the frame with suction cups, bring the tile into a horizontal position and lay it.
- 6) To guarantee uniform bonding of the slab, the special 170x370mm non-bounce plastic mallet must be used, tapping from the middle towards the edges so as to remove any air pockets between the back of the tile, the adhesive and the surface to be tiled.

7) Using the levelling system.

### LEVELLING SYSTEM

The levelling system aims to guarantee perfectly levelled floors simply and quickly, eliminating any unevenness between the tiles. The levelling system is strongly recommended for laying SIMPOLO Tiles.

Instruments required

- Base clip;
- Wedge;
- Adjustable pliers for installing floors/wall tiles.

Application of the levelling system

Positioning the base clip:

- a) After spreading the adhesive, insert the base clip below the SIMPOLO tile on the 4 sides.
- b) Depending on the format of the tile, position one or more supports for each side of the tile.
- c) Position the tile.

Inserting the wedge:

- a) Insert the wedge in the slot of the support, taking care not to exceed the breaking point.
- b) To make inserting the wedge easier, it is recommended to use the adjustable pliers.


Removing the support:

a) Once the adhesive has dried, the protruding part of the support can be separated from the base clip by tapping with your foot in line with the joint.

### GENERAL ADVICE FOR GROUTING

Pay attention while choosing joint sealants: check the technical sheets, choose them shade matched and follow carefully the recommended cleaning times, as many new generation coloured sealants contain pigments and additives that can be very strong. For polished/glossy surfaces do not use epoxy grouts or synthetic based flexible mortars (Flexfughe) and do not add additives/latexes to the grout, as they make the removal of residues with standard detergents very difficult. However, should you decide to use them, it is recommended to make a previous test off site





# **CLEANING AND MAINTENANCE**

### Introduction

All SIMPOLO materials are easy to clean and maintain. Regular cleaning highlights the aesthetic features of the material and gives the floor an exceptional shine.

### Initial cleaning

The initial cleaning done immediately after the flooring laid is of essential importance for removing all mortar, adhesives and epoxy residues that may be left in the joints. In this initial phase, we recommend that you use an acid product such as DETERDEK, in a 1:5 concentration. Rub energetically to obtain the maximum cleaning. After washing the floor, which is just as important, rinse thoroughly with plenty of water to remove all traces of the detergent used. These steps are recommended for all SIMPOLO collections.

### Maintenance and care

Thanks to the characteristics of the production process (high firing temperature, raw materials of great quality, sinterizing process), the surface of SIMPOLO material is waterproof (the water absorption is minimum). Therefore the dirt cannot penetrate but it is necessary to remove it from the surface. For this procedure do not use detergents containing waxes or waxing products, in order to avoid the forming of greasy layers; for choosing the most appropriate detergent refer to the following chapters. After the installation of floors, particularly of those made with polished materials, the surfaces should be adequately protected with particle board or other suitable materials in order to protect them from dirt and on-site processing. This prevents damage caused by subsequent processing

### General recommendations

For commercial and heavily used surface areas such as airports, hospitals, supermarkets, and any public spaces with heavy foot traffic which are thus subject to considerable soiling, it is necessary to use automatic cleaning machines with suction of the washing liquids.

This allows not only deep cleaning, but also the continuous removal of liquids containing substances that cause soiling, thus preventing the formation of films which are very difficult to remove. Any detergent on the market can be used in the desired concentration for cleaning the high technology sinterized SIMPOLO products, with the exception of HYDROFLUORIC acid (HF) or its compounds, according to UNI-EN 176 standards. In order to keep costs limited and speed up maintenance operations, the concentration of the detergent must always be as low as possible. For raised floors we suggest to choose bright or polished surfaces in large sizes: these materials can be dry cleaned or with the minimum use of liquids. After the floor is laid it is necessary to make a very accurate initial cleaning with proper products.

### Matt materials

For these materials, after completing the steps described in the section "Initial Cleaning", you only need to clean the floor with hot water containing small quantities of an alkaline detergent such as FILA CLEANER in a concentration 1:200. On these types of surface it is not advisable to apply a waterproofing product: the absence of porosity causes the waterproofing agent to deposit on the surface in an uneven way and to have unpleasant aesthetic effects.



80x160cm | 120x120cm | 20x160cm

# PRODUCT INTRODUCTION

Sintered compact surface is one of the most innovative and versatile surface covering material invented in this century and Simpolo is the first company in India to introduce the same.

All Natural Marbles, Granites and other varieties of stones are created in thousands of years by nature through Extreme heat and dynamic pressure.

# SCS MARBLE



SCS CONCRETE



SCS WOODS





### **SINTERING TECHNOLOGY**

The latest Sintering Technology is capable of reaching very high temperatures up to 1225°C, and above therefore the technical characteristics of ceramics are strengthened and amplified. The resultant product has high strength with certain amount of Elastic flexibility.



## **IMPACT RESISTANCE**

This material has incredible Strength, MOR is 40N/mm2 (Granite is 13.8N/mm2), breaking strength 2000N (at least 30% to 40% better than Granite) and an impact resistance of 0.55.



### **ZERO WATER** ABSORPTION (<0.05%)

The sintering at exceptionally high temperatures renders the product resistant to Scratching, staining and fading because of it's near zero water absorption (<0.05%) whereas in case of Granite, it is 0.15%.



### **STAIN RESISTANT**

Low porosity makes these sintered surfaces impervious to harsh chemicals like bleach, hydrochloric acid and other cleaning agents. Sintered slabs are able to withstand extreme heat and can be spray painted with no irreversible damage to the material.





For floor



Stain resistant



Water



More glossiness

	CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa IS-15622:2017	MEAN VALUE OF SIMPOLO SCS MARBLE	MEAN VALUE OF SIMPOLO SCS CONCRETE & SCS WOODS	TEST METHOD
Regulatory Properties	Deviation In Length & Width	± 0.50%	± 0.10%	± 0.10%	ISO-10545-2
	Deviation In Thickness	± 5.00%	± 4.00%	± 4.00%	ISO-10545-2
	Straightness Of Sides	± 0.50%	± 0.10%	± 0.10%	ISO-10545-2
	Rectangularity	± 0.50%	± 0.10%	± 0.10%	ISO-10545-2
	Surface Flatness	± 0.50%	± 0.20%	± 0.20%	ISO-10545-2
	Color Differences	Unaltered	No Change	No Change	ISO-10545-16
	Glossiness	As Per Mfg.	> 90 %	Min. 4 %	Glossometer
Structural Properties	Water Absorption	≤ 0.50%	≤ 0.20%	≤ 0.20%	ISO-10545-3
	Apparent Density	> 2.00 g/cc	> 2.10 g/cc	>2.10 g/cc	DIN 51082
Massive Mechanical Properties	Modulus of Rupture	Min 35N/mm²	Min. 40N/mm²	Min. 40N/mm²	ISO-10545-4
	Breaking Strength (≥ 7.5mm)	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
	Breaking Strength (< 7.5mm)	Min. 700 N	Min. 900 N	Min. 900 N	ISO-10545-4
	Impact Resistance	As Per Mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
Surface Mechanical Properties	Surface Abrasion Resistance	As Per Mfg.	Min. Class - 3	Min. Class - 4	ISO-10545-7
	Moh's Hardness	As Per Mfg.	Min. 4	Min. 5	EN 101
Thermo Hygrometric Properties	Frost Resistance	No Damage	No Damage	No Damage	ISO-10545-12
	Thermal Shock Resistance	No Damage	No Damage	No Damage	ISO-10545-9
	Moisture Expansion	Nil	Nil	Nil	ISO-10545-10
	Thermal Expansion(COE)	Max. 6x10 <sup>-6</sup>	Max. 6x10 <sup>-6</sup>	Max. 6x10 <sup>-6</sup>	ISO-10545-8
	Crazing Resistance	As Per Mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
Chemical Properties	Chemical Resistance	No Damage	No Damage	No Damage	ISO-10545-13
	Stain Resistance	Resistant	Resistant	Resistant	ISO-10545-14
Safety Properties	Slip Resistance	As Per Mfg.	> 0.40	> 0.40 / > R9	ISO-10545-17
	Fire Resistance	As Per Mfg.	Fireproof	Fireproof	N. A.
	Lead & Cadmium given off by glazed tiles	As Per Mfg.	Does Not Yield Pb & Cd	Does Not Yield Pb & Cd	ISO-10545-15

\* Glossiness 90 % with nano technology in PGVT, \* Except Hydrofluoric Acid & it's compound

# PACKING DETAILS

PRODUCT	SIZE	THICKNESS	NO. OF TILES PER BOX	COVERAGE AREA
SIMPOLO VITRIFIED TILES	80x160cm	9mm	2 pcs.	2.55 sq. mtr.
	120x120cm	9mm	2 pcs.	2.87 sq. mtr.
	20x160cm	9mm	8 pcs.	2.53 sq. mtr.

# SIMPOLO GALLERY

### **AHMEDABAD**

SIMPOLO GALLERY First Floor, 103, Sumel - 2, Nr. Gurudwara, S.G. Highway, Bodakdev, Ahmedabad - 54. Mob.: +91 79 40037222

### **BHAVNAGAR**

H. F. INTERIORSS Plote No.36, "Anjaney", Ground Floor, Beside D.B. Bath , Nr. Kaliyabid Water tank, Opp. Victoriya Park, Bhavnagar. Tel.: +91 278 2560215 / 16 Mob.: +91 97099 93244

### COCHIN

SIMPOLO GALLERY 33/2380 A-A1, NH Bypass, Vyasali Bus Stope, Chakkraparambu, Cochin - 682 032. Mob : +91 93493 39938

### GANDHIDHAM

SIMPOLO GALLERY Sec. 1-A, Plot 91, First Floor, Gandhidham (Kutch). Mob.: +91 94267 37808

### **HUBLI**

KOLIWAD MARBLE AND GRANITE Near Manickbag Showroom, P.B. Road, Vidhyanagar, Hubli. Tel.: +91 836 2372580 / 4252580

## **JAIPUR**

GUPTA TILES 76, Rathi Nagar, Gajsinghpura, Gopalpura Bypass, Jaipur, Rajasthan. Mob.: +91 94133 84900

### KOLHAPUR

CHANDWANI CERAMIC Opp. Hotel Shivtara, Kolhapur Sangli Road Shirioli Plot No.65/6, Shrioli. Tel.: +91 98220 42900

### NEW DELHI

TECHNO STONE
Khasra No. 12, Fatehpur Beri,
Chattarpur Mandir Road,
Opp. Narayani Devi Charifable Dispnsary &
Canara Bank, New Delhi - 110 074.
Tel.: +91 11 65456660

### **AGRA**

ARAVALI CERAMICS COMPANY (SIMPOLO GALLERY) NH. 2, Mauja Kuberpur, Near Reliance Petrol Pump, Tehsil Etmadpur, Agra. Mob.: +91 99971 77711

### **BHOPAL**

SHRI GORAJI MARBLE Plot No 91 - A, Airport Main Road, Near SBI Bank, Bhopal. Mob.: +91 84629 40479, +91 81093 44201

### CUTTACK

CERAMIC SALES CORPORATION Plote No.1650/2792, Gopalpur, NH - 5, Cuttack - 753 001. Mob.: +91 92384 99114

### GOA (Margao)

SILVER TRADE LINKS Shop No.17, Desai Residential & Commercial Complex, Dongorwado, Near Nehru Stadium, Fatorda, Margao - Goa. Tel.: +91 832 2741160 Mob.: +91 93723 34339

### **HYDERABAD**

CERAMIC INC. HNO#4/70/37, Adarsh Nagar, Nagole, Hyderabad. Tel.: +91 40 65694040 / 5050

### JAORA

SHUBH MARBLE AND GRANITE, 30, Industrail Area, Jaora (M.P.). Mob.: +91 98275 62933

### KOLKATA

SIMPOLO GALLERY Ground Floor, D.B.52, Slate Lake City , Sector 1, Kolkata - 700 064. Mob.: +91 90733 53728

## NEPAL

JJ MARBLE HOUSE G.P.O Box No. 56, 14/389, Tokha Road, Kathmandu, Nepal. Ph: +977 14381218

### **BANGLORE**

SIMPOLO GALLERY #79 /1 & 144 /1-9, Kalkere Main Road, Horamavu Village, Banglore - 560 043. Tel.: +91 80 65462222, 65363333 Mob.: +91 99002 31333

### BHUBANESWAR

CERAMIC WORLD 602, Rasulgrah, Opp. Kochilei Market, Cuttack Road, Bhubneswar. Mob.: +91 92384 99102

### DHULIYA

VIRAJ CERAMICS 87/6, Opp. Hotel Sheetal, Parola Road, Balapur, Dhule - 424 001. Mob.: +91 98501 80401

### **GURGAON**

SIMPOLO GALLERY Simpolo House, C-1, South City, Gurgaon - 122 001. Tel.: +91 124 4278820

## HYDERABAD

CERAMIC INC. Solanki Plaza, 8-2-293/K/307, Kamalapuri Colony, Opp. Green Bawarchi Hotel, Hyderabad - 500 073. Tel.: +91 40 23334040 Mob.: +91 90000 18041

### **JODHPUR**

SUN - DEEP TILES E-73, Kalptaru Shopping Center, Shastri Nagar, Jodhpur - 342 001. Mob.: +91 96720 11000

### MUMBAI

SIMPOLO GALLEY 31/R,Shri Laxmi Jyot Industrial Estate , Premises Co - Operative Society Ltd , Laxmi Industrial Estate ,New Link Road, Adheri (W) Mumbai - 400 053. Tel.: +91 22 40167131

### PALAKKAD

M/S. K A V. SHAIK ROWTHER 31/671 Market Road, Palakkad - 678 014, Kerala. Tel.: +91 491 2502301, 2537771

### BARODA

SIMPOLO MARKETING 29, Dhanlaxmi Complex, Opp. Manglaya Hall, Near Airport Char Rasta, Harni Road, Baroda. Mob.: +91 99749 60603

### CHIKHLI

PRUTHVI ENTERPRISE Chikhli Bilimora Road, Chikhli, Dist. Navsari. Tel.: +91 2634 231200 Mob.: +91 98251 79455

### **ERNAKULAM**

KAITHRAN BUILD WARE 1X/600 C Kurumassery - 683 579. Ernakulam, Kerala. Tel.: +91 484 2267784 Mob.: +91 94473 01945

### HIMMATNAGAR

CERAMIC GALLERY Sankalp Complex, Samlaji Highway, Near Collage, Motupura, Himmatnagar. Mob.: +91 99798 93772, +91 99798 75772

### INDORE

PARAG Race Course Road, Indore. Fax: +91 731 2547598 Tel.: +91 731 2535659 / 60

### KALABURAGI

SIMPOLO Sy, No. 71 Bilgundi Gardens, Behind Kharge Petrol Pump, Sedam Ring Road Circle, Kalaburagi - Karnataka. Mob.: +91 89709 41000

### NASHIK

THE CERAMIC STUDIO Shop No.18, Business Bay, Shrihari Kute Marg, Tidke Colony, Mumbai Naka, Nashik - 422 002. Mob.: +91 88477 88888

### PUNE

SRI PARAM MARKETING Vasant Vastu, Ground Floor, Near Saubhagya Mangal Karyalay, Near City International School, Maharshi Nagar, Pune - 37. Mob.: +91 90280 11200 / 300

### **RAJKOT**

SIMPOLO GALLERY Govardhan Society, Opp. Hill Burg App., Nr. Golden Super Market, Vidhyakunj Main Road, Rajkot. Mob.: +91 78744 74448

### SANGLI

VARDHMAN ENTERPRISE 213, Sangli Kolhapur Road, Opp. Hyundai Showroom, Sangli-Ankali. Tel.: +91 233 2422022 / 20 Mob.: +91 90110 93588, +91 89830 93588

### THRISSUR

CLASSSIC SANITARY EMPORIUM Br. Classic Buildware, 11/479 -A, Kolothumpady, Irinjalakuda, Thrissure, Kerala. Mob.: +91 98472 10693

### **VELLORE**

KEWAL CHAND VINODTH KUMAR, "Ambalal Lifestyles", Perumugai, Vellore - 632 009. Mob.: +91 87545 93375

### **RANCHI**

PINK CITY MARBLE Piska More, Ratu Road, Ranchi - 834 005. Mob.: +91 94313 51883, +91 94311 70475

### SRI GANGANAGAR

PHOOL CHAND MILL STORE Lakkar Mandi, Ganesh Talkies Road, Sri Ganganagar. Mob.: +91 94140 88743, +91 97828 44424

### **THRISSUR**

MODERN SANITARY Chettpuzha, Building, Kuruppam Road, Thressure Kerala. Mob.: +91 487 2442507, 3290468

### RATLAM

CERAMIC CRAFT 17, College Road, Ratlam. (M.P.) Mob.: +91 94251 03719

### SURAT

SIMPOLO IMPEX 10 & 11, Shivam Complex, Nr. State Bank of India, Opp. Vijay Sales, Rander Road, Surat. Tel.: +91 261 2760787 Mob.: +91 98257 66254, +91 99796 18009

### TRICHY

SHRI RANGA AGENCIES Shri Ranga Towers, No. 9, Royal Road, Cantonment, Trichy. Tel.: +91 431 2415751

### CUSTOMER CARE DIVISION

- Product Inquiry
- Dealership Inquiry
- Product Knowledge
- Customer Complaint

### SANGAMNER

CERAMIC CENTER Opp. Barf Karkhana, Mathurabai Nagar, Kasara Dumala, Akola Road, Sangamner. (M.H.) Mob.: +91 95616 13633

### **TIRUPUR**

NANDHI PIPES No.39, Vignesh Nagar, Kaikattipudur, Tirupur Main Road, Avinashi - 641 654. Tel:: +91 4296 275740 Mob.: +91 94432 83885

### TRIVANDRUM (Kerala)

TARA SANITARY WARES AND TILES Goodwill Tower, Pattom Plamoody Road, Pattom, Trivandrum, Kerala - 695 004. Mob.: +91 9447055212

Toll Free: 1800 233 2223

Mob.: +91 75748 62982 / 83

Email: customercare@simpolo.net

# OUR REPRESENTATIVE

**AGRA** +91 72499 03888 AHMEDABAD +91 99980 23911 AURANGABAD +91 93268 99024 BANGALORE +91 93411 69424 BAREILLY +91 75748 62986 BARODA +91 99989 51003 BHATINDA +91 93572 22303 +91 93030 23222 BHOPAL +91 99256 23322 BHUBANESWAR BHUJ +91 97252 40551 BIKANER +91 74348 51099 BOMBAY +91 93734 64005 +91 93887 83923 CALICUT CHANDIGARH +91 93179 95222 CHENNAI +91 74348 51094 COCHIN +91 93493 39938 +91 70944 74183 COIMBATORE DEHRADUN +91 93586 66607 DELHI +91 74348 51072 GOA +91 93723 34339 GURGAON +91 74348 51072 **GUWAHATI** +91 97488 58796 **GWALIOR** +91 85179 74222 HUBLI +91 93798 32244 **HYDERABAD** +91 93464 64191 INDORE +91 93000 97056 **JABALPUR** +91 93298 27222 **JAIPUR** +91 74348 51097 +91 93572 22303 **JALANDHAR JODHPUR** +91 95879 25005 KALYAN +91 93734 64003 KANNUR +91 93886 46777 KANPUR +91 74348 51095 **KOLHAPUR** +91 93260 08009 KOLKATA +91 90733 53728 LUCKNOW +91 93369 95222 LUDHIANA +91 93572 22303 +91 70944 74180 MADURAL +91 93412 99684 MANGALORE MIRA ROAD +91 93734 64007 +91 99980 23914 MORBI MYSORE +91 93411 69424

NAGPUR +91 93734 64002 NASIK +91 93703 71122 PATNA +91 93866 22331 PUNE +91 93734 64009 **PONDICHERRY** +91 70944 74181 **RAIPUR** +91 99256 23322 +91 99980 23910 **RAJKOT** RANCHI +91 73600 66902 +91 90733 53733 **SILIGURI** SIRSA +91 93151 11717 +91 99980 23915 SURAT **THRISSUR** +91 93877 12233 TIRUNELVELI +91 70944 74185 TRIVANDRAM +91 93493 39938 TRICHY +91 70944 74182 **UDAIPUR** +91 74348 51100 VASI +91 93734 64003 +91 93466 08791 VIJAYAWADA VISAKHAPATANAM +91 93966 35554



## Simpolo Vitrified Pvt. Ltd.

Tel: +91 2822 242122, 241622, 243622, Fax: +91 2822 243122 E-mail: tiles@simpolo.net

MUMBAI
31/R, Shri Laxmi Jyot Industrial Estate Premises Co-operative Society Ltd., Laxmi Industrial Estate,
New Link Road, Andheri (W), Mumbai - 400 053.
Tel.: +91 22 40167131, Fax: +91 22 40167132, E-mail: mumbai@simpolo.net

### AHMEDABAD

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054. Tel.: +91 79 40037222, +91 79 40052220, E-mail: ahmedabad@simpolo.net

Simpolo House, C-1, South City-1, Gurgaon - 122 001. Haryana. Tel.: +91 124 4278820, E-mail: delhi@simpolo.net

### COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032. Mob.: +91 9349339938, Fax: +91 4844037118, E-mail: cochin@simpolo.net

### KOLKATA

Ground Floor, DB - 52, Salt Lake City, Sector 1, Kolkata - 700 064. (W.B.)

Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net