

TILES & SANITARYWARE



Simpolo Vitrified Private Limited

Old Ghuntu Road, MORBI - 363 642. Gujarat, INDIA
Tele.: +91 2822 241622, E-mail: customercare@simpolo.net

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.
Tele.: +91 22 40167131, E-mail: mumbai@simpolo.net

AHMEDABAD

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.
Tele.: +91 79 400 37222, +91 79 400 52220, E-mail: ahmedabad@simpolo.net

DELHI

H-139, First Floor, Sector-63, Noida - 201 301, Uttar Pradesh.
Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.
Mob.: +91 93493 39938, Fax: +91 4844 037118, E-mail: cochin@simpolo.net

KOLKATA

Ground Floor, DB - 52, Salt Lake City, Sector 1, Kolkata - 700 064. (W.B.)
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net

www.simpolo.net | Toll Free No.: 1800-233-2223

ROCKDECK
OUTDOOR FLOORS & FACADES


800x1200mm | 600x1200mm
398x800mm | 398x398mm

16mm
12mm
10mm



The Art of Fascination





16mm
12mm
10mm

ROCKDECK
OUTDOOR FLOORS & FACADES

800x1200mm | 600x1200mm
398x800mm | 398x398mm

COLLECTION 2020

EARTH, WATER, FIRE AND AIR HAVE ALL BEEN COMBINED TO BRING YOUR EMOTIONS TO LIFE. FEEL THE ENERGY THAT EACH OF THESE ELEMENTS CAN CONVEY. ONE BY ONE OR IN UNISON, THEY WILL SHOW YOU HOW TO EXPERIENCE THE TRUE MEANING OF NATURE.

ADJACENT TO NATURE

Go outside and look at all the different elements that are needed to create ceramic tiles. Together they form a life source that opens the gateway to a whole new world of tiled surfaces. Envelop yourself in fire's passion and heat. You will be drawn by its fervor, energy and warmth. Bring your dreams to life with water: one of the natural elements so essential in breathing life into everything that surrounds you.

Breath in and feel at one with the environment. Air is crucial in life and so fundamental in the products we make. And keep your feet on the ground, on the earth that forms the basis of our products.

Four elements, four sensations and four ways of sharing what unites us in designs as pure and unique as your own life.

our brand
ambassador
Hrithik Roshan



INDEX



06 Slack Stone _____

08 Lime Stone _____

10 Panero _____

12 Barberino _____

14 Salted Concrete _____

16 Lavagna _____

17 Rock Deck _____

18 Query Stone _____

22 Slate _____

23 Milano _____

23 Maple _____

24 Desert _____

28 RD _____



Floor
Slack Stone Natural
_Size : 398x800mm



Slack Stone Grey

Slack Stone Natural



Floor
Slack Stone Grey
_Size : 398x398mm

THICKNESS : 10 mm / 16 mm
SURFACE : Matt



398x800mm



398x398mm



Floor
Lime Stone Crema
_Size : 398x398mm



Lime Stone Crema



Lime Stone Ash




Lime Stone Grey



Floor
Lime Stone Ash
_Size : 398x398mm

THICKNESS : 10 mm / 16 mm
SURFACE : Matt



398x398mm



ROCKDECK
OUTDOOR FLOORS & FACADES

Wall
Panero Gris
_Size : 398x800mm


Floor
Panero Gris
_Size : 398x398mm



Panero Sand



Panero Gris



Panero Nero




Floor
Panero Sand
_Size : 398x800mm


THICKNESS : 10 mm / 16 mm
SURFACE : Matt




398x800mm




Barberino Lux




Barberino Verde




Barberino Gris



Barberino Negro



Barberino Crema





Barberino Brown



Floor
Barberino Negro
_Size : 398x800mm + 398x398mm

THICKNESS : 10 mm / 16 mm
SURFACE : Matt







Salted Concrete Ash




Salted Concrete Grey



Salted Concrete Crema





Salted Concrete Rust






Lavagna Beige




Lavagna Grey



Rock Deck Crema



Rock Deck Sahara




Rock Deck Coffee



Rock Deck Lux



Rock Deck Verde



Rock Deck Gris

Wall & Floor

Lavagna Grey

_Size : 398x800mm + 398x398mm




398x800mm



398x398mm

THICKNESS : 16 mm

SURFACE : Matt



600x600mm



Query Stone Crema




Query Stone Sahara



Query Stone Sky




Query Stone Gris





Slate Nero



600x1200mm 600x600mm




Milano Beige




Milano Cotto




Maple Wood




600x600mm



Desert Crema



Desert Sahara




Desert Coffee




Desert Bianco




Desert Lux




Desert Verde



Desert Grey



Desert Gris




Desert Negro



Desert Crema

Step



Desert Crema

Riser



Desert Sahara

Step




Desert Sahara

Riser




Desert Verde

Step




Desert Verde

Riser



Desert Gris

Step



Desert Gris

Riser




300x1200mm




600x1200mm



R D 01



R D 03



R D 02



R D 04



R D 05



R D 07



R D 09



R D 10



R D 06




R D 08



Floor
R D 12
_Size : 400x400mm

THICKNESS : 12 mm
SURFACE : Matt



400x400mm



RD 11



RD 13



RD 12



RD 15




RD 17



RD 18




RD 16



RD 19



R D 20



R D 14




R D 21



R D 22




R D 27




R D 29




R D 39




R D 41




R D 28




R D 33



R D 40



R D 42



R D 23




R D 25



R D 24




R D 26




R D 38

5 Random Faces




R D 37






R D 34




R D 36




R D 43




R D 44




R D 35




R D 45



R D 48




R D 46




R D 47


3 colors



Sahara



Verde



Nero


2 sizes

THICKNESS: 12 mm


SURFACES: Matt



398x800mm



398x398mm



Paleo Stone


BRINGING A FORGOTTEN ERA ALIVE .

Out door paving and flooring need not be drab and dull with regimented traditional solutions.

We bring out these Paleolithic age marvels in full body in 12mm thickness for medium load pavings in Porches, entrances and all kind of outdoor spaces.

Available in two sizes 398x398, and 398x800 and in three colours this collection provides unlimited possibilities of mix and match to give an elegant look to all outdoor spaces.

**FULL
BODY
TILES**



398x800mm




398x398mm



398x398mm


Paleo Stone Sahara



398x800mm



398x398mm



398x398mm

Paleo Stone Verde



398x800mm



398x398mm



398x398mm

Paleo Stone Nero

Paleo Stone



Floor

Paleo Stone Sahara _Size : 398x800mm

Paleo Stone Sahara Decor _Size : 398x398mm

Paleo Stone Sahara _Size : 398x398mm

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	STANDARD AS PER IS15622:2018 Gr.BIa	MEAN VALUE OF SIMPOLO	TEST METHOD
Regulatory Properties				
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Deviation in thickness	± 5.00 % (±0.50mm)	± 5.00 %	± 4.00 %	ISO 10545-2 & IS 13630-1
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.50 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface quality	> 95% defects free	> 95% defects free	> 95% defects free	ISO 10545-2 & IS 13630-1
Small Color Difference(Glaze/Unglaze)	Unglazed ΔE<1.00/Glaze ΔE <0.75	N.A.	ΔE < 0.30	ISO 10545-16
Glossiness (without polished)	as per mfg.	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin)	as per mfg.	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties				
Water absorption	≤ 0.50 %	≤ 0.080 %	≤ 0.060 %	ISO 10545-3 & IS 13630-2
Bulk density	as per mfg.	Min. 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3 & IS 13630-2
Massive Mechanical Properties				
Modulus of rupture(10 & 12mm)	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	Min. 40.0 N/mm ²	ISO 10545-4 & IS 13630-6
Modulus of rupture(16 & 20mm)	as per mfg.	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5(10 & 12mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 2000.0 N	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5(16 & 20mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4 & IS 13630-6
Surface Mechanical Properties				
MOH'S hardness	as per mfg.	Min. 5	Min 6	BS EN 15771 & IS 13630-13
Surface abrasion resistance	as per mfg.	Min. Class II	Min. Class 3 / Min. Class III	ISO 10545-7 & IS 13630-11
Deep abrasion resistance	Max. 175mm ³	Max. 140mm ³	Max. 132mm ³	ISO 10545-6 & IS 13630-12
Thermal Hydrometric Properties				
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	0.02mm/m	ISO 10545-10 & IS 13630-3
Thermal expansion(COE) at 100°C	as per mfg.	Max. 7.0 x 10 ⁻⁶	Max. 6.0 x 10 ⁻⁶	ISO 10545-8 & IS 13630-4
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9 & IS 13630-5
Crazing resistance at (ISO 500 ±20 kPa-159°C ±1°C) / (IS 750 ±20 kPa-168°C ±1°C)	as per mfg.	Min. 4 Cycle	Min. 6 Cycle	ISO 10545-11 & IS 13630-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	Min. 0.55	ISO 10545-5 & IS 13630-14
Frost resistance	as per mfg.	as per mfg.	Frost Proof	ISO 10545-12 & IS 13630-10
Chemical Properties				
Resistance to staining glazed	Min. Class 3	Min. Class 1	Min. Class 4/Min. Class 1	ISO 10545-14 & IS 13630-8
Resistance to staining unglazed	as per mfg.	Min. Class 2	Min. Class 4/Min. Class 2	ISO 10545-14 & IS 13630-8
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class AA	Min. Class GA/Min. Class AA	ISO 10545-13 & IS 13630-8
Resistance to household chemicals & swimming pool salts unglazed	Min. Class UB	as per mfg.	Min. Class UB/Min. Class A	ISO 10545-13 & IS 13630-7
Resistance to low concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GLB*/Min. Class A*	ISO 10545-13 & IS 13630-8
Resistance to low concentrate acid and alkalis unglazed	as per mfg.	as per mfg.	Min. Class ULB*/Min. Class A*	ISO 10545-13 & IS 13630-7
Resistance to high concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GHB*/Min. Class A*	ISO 10545-13 & IS 13630-8
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	as per mfg.	Min. Class UHB*/Min. Class A*	ISO 10545-13 & IS 13630-7
Safety Properties				
Skid resistance(COF-WET PENDULAM)#	as per mfg.	as per mfg.	> 0.24**	BS 7976
Slip resistance(COF)(R value)#	as per mfg.	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	as per mfg.	Fire Proof	N.A.

* Except Hydrofluoric Acid & it's compound
 **Depending on Application area (low or high intensity of traffic)
 # As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
ROCKDECK	600x1200mm / 60x120cm	16mm	2 pcs.	1.44 sq. mtr.	15.50 sq. ft.
	600x1200mm / 60x120cm	12mm	2 pcs.	1.44 sq. mtr.	15.50 sq. ft.
	300x1200mm / 30x120cm	12mm	3 pcs.	1.08 sq. mtr.	11.62 sq. ft.
	398x800mm / 40x80cm	16mm	2 pcs.	0.64 sq. mtr.	6.89 sq. ft.
	398x800mm / 40x80cm	10mm	4 pcs.	1.28 sq. mtr.	13.78 sq. ft.
	600x600mm / 60x60cm	16mm	2 pcs.	0.72 sq. mtr.	7.75 sq. ft.
	600x600mm / 60x60cm	10mm	4 pcs.	1.44 sq. mtr.	15.50 sq. ft.
	398x398mm / 40x40cm	16mm	4 pcs.	0.64 sq. mtr.	6.89 sq. ft.
	398x398mm / 40x40cm	10mm	8 pcs.	1.28 sq. mtr.	13.78 sq. ft.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	STANDARD AS PER IS15622:2018 Gr.BIa	MEAN VALUE OF SIMPOLO	TEST METHOD
Regulatory Properties				
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Deviation in thickness	± 5.00 % (±0.50mm)	± 5.00 %	± 4.00 %	ISO 10545-2 & IS 13630-1
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.50 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface quality	> 95% defects free	> 95% defects free	> 95% defects free	ISO 10545-2 & IS 13630-1
Small Color Difference(Glaze/Unglaze)	Unglazed ΔE<1.00/Glaze ΔE <0.75	N.A.	ΔE < 0.30	ISO 10545-16
Glossiness (without polished)	as per mfg.	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin)	as per mfg.	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties				
Water absorption	≤ 0.50 % Ev ≤ 3.00%	≤ 0.08 % Ev ≤ 3.00%	≤ 0.08 % Ev ≤ 3.00%	ISO 10545-3 & IS 13630-2
Bulk density	as per mfg.	Min. 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3 & IS 13630-2
Massive Mechanical Properties				
Modulus of rupture(10 & 12mm)	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	Min. 40.0 N/mm ²	ISO 10545-4 & IS 13630-6
Modulus of rupture(16 & 20mm)	as per mfg.	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5(10 & 12mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 2000.0 N	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5(16 & 20mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4 & IS 13630-6
Surface Mechanical Properties				
MOH'S hardness	as per mfg.	Min. 5	Min 6	BS EN 15771 & IS 13630-13
Surface abrasion resistance	as per mfg.	Min. Class II	Min. Class 3 / Min. Class III	ISO 10545-7 & IS 13630-11
Deep abrasion resistance	Max. 175mm ³	Max. 140mm ³	Max. 132mm ³	ISO 10545-6 & IS 13630-12
Thermal Hydrometric Properties				
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	0.02mm/m	ISO 10545-10 & IS 13630-3
Thermal expansion(COE) at 100°C	as per mfg.	Max. 7.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO 10545-8 & IS 13630-4
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9 & IS 13630-5
Crazing resistance at (ISO 500 ±20 kPa-159°C ±1°C) / (IS 750 ±20 kPa-168°C ±1°C)	as per mfg.	Min. 4 Cycle	Min. 6 Cycle	ISO 10545-11 & IS 13630-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	Min. 0.55	ISO 10545-5 & IS 13630-14
Frost resistance	as per mfg.	as per mfg.	Frost Proof	ISO 10545-12 & IS 13630-10
Chemical Properties				
Resistance to staining glazed	Min. Class 3	Min. Class 1	Min. Class 4/Min. Class 1	ISO 10545-14 & IS 13630-8
Resistance to staining unglazed	as per mfg.	Min. Class 2	Min. Class 4/Min. Class 2	ISO 10545-14 & IS 13630-8
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class AA	Min. Class GA/Min. Class AA	ISO 10545-13 & IS 13630-8
Resistance to household chemicals & swimming pool salts unglazed	Min. Class UB	as per mfg.	Min. Class UB/Min. Class A	ISO 10545-13 & IS 13630-7
Resistance to low concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GLB*/Min. Class A*	ISO 10545-13 & IS 13630-8
Resistance to low concentrate acid and alkalis unglazed	as per mfg.	as per mfg.	Min. Class ULB*/Min. Class A*	ISO 10545-13 & IS 13630-7
Resistance to high concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GHB*/Min. Class A*	ISO 10545-13 & IS 13630-8
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	as per mfg.	Min. Class UHB*/Min. Class A*	ISO 10545-13 & IS 13630-7
Safety Properties				
Skid resistance(COF-WET PENDULAM)#	as per mfg.	as per mfg.	> 0.24**	BS 7976
Slip resistance(COF)(R value)#	as per mfg.	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	as per mfg.	Fire Proof	N.A.

* Except Hydrofluoric Acid & it's compound
 **Depending on Application area (low or high intensity of traffic)
 # As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
ROCKDECK	400x400mm / 40x40cm	12mm	5 pcs.	0.80 sq. mtr.	8.61 sq. ft.

Simpolo Gallery / Shopee

AHMEDABAD

SIMPOLO GALLERY
First Floor, 103, Sumel - 2,
Nr. Gurudwara, S.G. Highway,
Bodakdev, Ahmedabad - 54.
Mob.: +91 79 40037222

BANGALORE

SIMPOLO GALLERY
#79 /1 & 144 /1-9, Kalkere Main Road,
Horamavu Village, Bangalore - 560 043.
Tele.: +91 80 65462222, 65363333
Mob.: +91 99002 31333

BHOPAL

SHRI GORAJI MARBLE
Plot No 91 - A,
Airport Main Road,
Near SBI Bank, Bhopal.
Mob.: +91 84629 40479, +91 81093 44201

CHANDIGARH (Zirakpur)

New Tile World
Zirakpur Patiala Road,
Zirakpur (Mohali)

COCHIN

SREE VENKATESWARA AGENCIES
XI/3397,
T. D. East Sannidhi Road,
Ernakulam - 682035
Mob.: +91 97444 45454

DHULIYA

VIRAJ CERAMICS
87/6, Opp. Hotel Sheetal,
Parola Road, Balapur,
Dhule - 424 001.
Mob.: +91 98501 80401

GOA (Margao)

SILVER TRADE LINKS
Shop No.17, Desai Resi. & Com. Complex,
Dongorwado, Nr. Nehru Stadium, Fatorda,
Margao - Goa.
Tele.: +91 832 2741160
Mob.: +91 93723 34339

HUBLI

KOLIWAD MARBLE AND GRANITE
Near Manickbag Showroom,
P.B. Road, Vidhyanager,
Hubli.
Tele.: +91 836 2372580 / 4252580

INDORE

PARAG
Race Course Road,
Indore.
Fax: +91 731 2547598
Tele.: +91 731 2535659 / 60

JODHPUR

SUN - DEEP TILES
E-73, Kalptaru Shopping Center,
Shastri Nagar,
Jodhpur - 342 001.
Mob.: +91 96720 11000

KOLKATA

SIMPOLO GALLERY
Ground Floor, D.B.52,
Salt Lake City, Sector 1,
Kolkata - 700 064.
Mob.: +91 90733 53728

NASHIK

THE CERAMIC STUDIO
Shop No.18, Business Bay,
Shrihari Kute Marg, Tidke Colony,
Mumbai Naka, Nashik - 422 002.
Mob.: +91 88477 88888

AGRA

ARAVALI CERAMICS COMPANY
(SIMPOLO GALLERY)
NH. 2, Mauja Kuberpur,
Near Reliance Petrol Pump,
Tehsil Etmadpur, Agra,
Mob.: +91 99971 77711

BARODA

SIMPOLO MARKETING
29, Dhanlaxmi Complex,
Opp. Manglaya Hall, Near Airport Char Rasta,
Harni Road, Baroda.
Mob.: +91 99749 60603

BHUBANESWAR

CERAMIC WORLD
602, Rasulgrah,
Opp. Kochilei Market,
Cuttack Road, Bhubneswar.
Mob.: +91 92384 99102

CHIKHLI

PRUTHVI ENTERPRISE
Chikhli Bilimora Road,
Chikhli, Dist. Navsari,
Tele.: +91 2634 231200
Mob.: +91 98251 79455

COCHIN

SIMPOLO GALLERY
33/2380 A-A1, NH Bypass,
Vyasali Bus Stop, Chakkrarambu,
Cochin - 682 032.
Mob.: +91 93493 39938

DEHRADUN

AARAMBH CERAMICS
#241/2, First Floor, GMS Road,
Near Ballupur Chowk, Satya Vihar Ballupur,
Dehradun, Uttarakhnad - 248 006.
Mob.: +91 72520 02000

GURGAON

SIMPOLO GALLERY
Simpolo House,
C-1, South City,
Gurgaon - 122 001.
Tele.: +91 124 4278820

HYDERABAD

CERAMIC INC.
Solanki Plaza, 8-2-293/K/307,
Kamalapuri Colony, Opp. Green Bawarchi Hotel,
Hyderabad - 500 073.
Tele.: +91 40 23334040, Mob.: +91 90000 18041

JAIPUR

GUPTA TILES
76, Rathi Nagar, Gajsinghpura,
Gopalpura Bypass,
Jaipur, Rajasthan.
Mob.: +91 94133 84900

KALABURAGI

SIMPOLO
Sy. No. 71 Bilgundi Gardens,
Behind Kharge Petrol Pump,
Sedam Ring Road Circle,
Kalaburagi - Karnataka.
Mob.: +91 89709 41000

KAKINADA

OME AGENCIES
#69-12-29/1, Near Spancer' S,
Pithapuram Road,
Kakinada - 533 005.
Mob.: +91 9553300022

NAGPUR

NATURAL CERAMIC
Municipal House 31 63/a/388,
Hiwari Nagar Layout, Nagpur,
Maharashtra - 440 008.
Mob.: +91 73878 37332, +91 94236 80788

AURANGABAD

VIJAY HOUSE OF FLOORINGS
9, Ajmera Towers,
Below Bank of Baroda,
Garkheda, Aurngabad - 431 005.
Mob.: +91 92724 84848

BHAVNAGAR

H. F. INTERIORS
Plate No.36 , "Anjaney", Ground Floor,
Beside D.B. Bath , Nr. Kaliyabid Water tank,
Opp. Victoriya Park, Bhavnagar.
Tele.: +91 278 2560215 / 16
Mob.: +91 99099 93244

BHILWARA

HINDUSTAN CERAMIC DISTRIBUTORS
Shop No - 12, 13 Surbhi Enclave
Opp. Gaytri Mandir Ashram Ajmer Road,
Bhilwara.
Mob.: +91 98290 40088

CHENNAI

I. K. CLASSIVA
867, Poonamallee High Road,
Opp. Kilpauk Police Station,
Before Sangam Theatre
Kilpauk, Chennai - 600 010.
Mob.: +91 98404 61888, +91 99402 52706

CUTTACK

CERAMIC SALES CORPORATION
Plot No.1650/2792,
Gopalpur, NH - 5,
Cuttack - 753 001.
Mob.: +91 92384 99114

GANDHIDHAM

SIMPOLO GALLERY
Sec. 1-A, Plot 91, First Floor,
Gandhidham (Kutch).
Mob.: +91 94267 37808

HIMMATNAGAR

CERAMIC GALLERY
Sankalp Complex, Samlaji Highway,
Near Collage, Motupura,
Himmatnagar.
Mob.: +91 99798 93772, +91 99798 75772

HISAR

SHRI RAM TILES & SANITARYWARE
Priti Nagar, Balsamand Road,
Opp. Nagar Nigam, Hisar (Haryana)
Mob.: +91 94162 44559, +91 94666 41718

JAORA

SHUBH MARBLE AND GRANITE,
30, Industriail Area,
Jaora (M.P.).
Mob.: +91 98275 62933

KOLHAPUR

CHANDWANI CERAMIC
Opp. Hotel Shivtara,
Kolhapur Sangli Road
Shrioli Plot No.65/6, Shrioli.
Tele.: +91 98220 42900

MUMBAI

SIMPOLO GALLERY
Unit No.: 203, 2nd Floor, Marya Land Mark 2,
Near Infinity Mall, Link Road,
Andheri (W), Mumbai - 400 053
Tel.: +91 22 40167131

NEEMUCH (MP)

CAPTAIN TILES CENTER
425, Scheme No. 36-A, Opp. Collector Office,
Neemuch, Madhyapradesh.
Mob.: +91 98980 60635
Email: captaintiles@yahoo.in

NEPAL

JJ MARBLE HOUSE
G.P.O Box No. 56,
14/389, Tokha Road,
Kathmandu, Nepal.
Ph: +977 14381218

PUNE

SRI PARAM MARKETING
Vasant Vastu, Ground Floor,
Near Saubhagya Mangal Karyalay,
Near City International School,
Maharshi Nagar, Pune - 37.
Mob.: +91 90280 11200 / 300

RATLAM

CERAMIC CRAFT
17, College Road,
Ratlam. (M.P.)
Mob.: +91 94251 03719

SANGLI

VARDHMAN ENTERPRISE
213, Sangli Kolhapur Road,
Opp. Hyundai Showroom, Sangli-Ankali.
Tele.: +91 233 2422022 / 20
Mob.: +91 90110 93588, +91 89830 93588

SILIGURI

S.S. SANITATION
Mittal Square, 2nd Floor,
Opp. Anandaloke Nursing Home,
Sevoke Road, Siliguri - 734001 (W.B)
Mob.: +91 94340 27755

TIRUPUR

NANDHI PIPES
No.39, Vignesh Nagar,
Kaikattipudur, Tirupur Main Road,
Avinashi - 641 654.
Tele.: +91 4296 275740
Mob.: +91 94432 83885

TIRUPUR

KAILAS TRADERS
4/193(1), Bharathi Nagar,
Veerapandaji (po), Palladam Road,
Tirupur - 641605.
Mob.: +91 98941 34340

TRIVANDRUM (Kerala)

TARA SANITARY WARES AND TILES
Goodwill Tower, Pattom Plamoody Road,
Pattom, Trivandrum, Kerala - 695 004.
Mob.: +91 9447055212

Our Representative

AMRITSAR +91 72280 10183
AGRA +91 75748 62730
AHMEDABAD +91 99980 23911
AURANGABAD +91 86981 16989
BHATINDA +91 85951 97548
BANGALORE +91 93411 69424
BARODA +91 99989 51003
BHOPAL +91 93030 23222
BHUBANESWAR +91 99256 23322
BHUJ +91 97252 40551
BIKANER +91 74348 51099
BILASPUR +91 95222 23979
CHANDIGARH +91 93179 95222
CALICUT +91 75748 62674
COCHIN +91 93493 39938
CHENNAI +91 70944 74180
COIMBATORE +91 70944 74183
DELHI (N/W) +91 74348 51091
DELHI (S/E) +91 93132 62007
DEHRADUN +91 93586 66607
GURGAON +91 99533 50368

NEW DELHI

TECHNO STONE
Khasra No. 12, Fatehpur Beri,
Chattarpur Mandir Road,
Opp. Narayani Devi Charifable Dispnsary &
Canara Bank, New Delhi - 110 074.
Tele.: +91 11 65456660

RAJKOT

SIMPOLO GALLERY
Govardhan Society, Opp. Hill Burg App.,
Nr. Golden Super Market,
Vidhyakunj Main Road, Rajkot.
Mob.: +91 78744 74448

SATNA

MAHALAXMI TILES
Gandhi Chowk,
Satna. (M.P.)
Mob.: +91 94247 62988

SECUNDERABAD

CERAMIC INC.
HNO#4/70/37,
Adarsh Nagar, Nagole,
Hyderabad.
Tele: +91 40 65694040 / 5050

SIRSA

Deepak Marbles
Suratgar Bazar,
Sirsa.
Mob.: +91 98961 00032

THRISSUR

MODERN SANITARY
Chettupuzha, Building,
Kurupparam Road, Thrissur,
Kerala.
Tele.: +91 487 2442507, 3290468

TRICHY

AVTHAR CERAMICS
No.1,New Chilan Nagar,
Trichy to Chennai bye pass, Road
Trichy-2.
Mob.:+91 75400 00186

PALAKKAD

M/S. K A V. SHAIK ROWTHER
31/671 Market Road,
Palakkad - 678 014,
Kerala.
Tele.: +91 491 2502301, 2537771

RANCHI

PINK CITY MARBLE
Piska More, Ratu Road,
Ranchi - 834 005.
Mob.: +91 94313 51883, +91 94311 70475

SANGAMNER

CERAMIC CENTER
Opp. Barf Karkhana,
Mathurabai Nagar, Kasara Dumala,
Akola Road, Sangamner. (M.H.)
Mob.: +91 95616 13633

SRI GANGANAGAR

PHOOL CHAND MILL STORE
Lakkar Mandi,
Ganesh Talkies Road,
Sri Ganganagar.
Mob.: +91 94140 88743, +91 97828 44424

SURAT

SIMPOLO IMPEX
105-106, 1st Floor, Sapphire Business Hub,
Opp. Green Arcade,
Madhuvan Circle to Green City Road,
L.P. Savani Road, Pal - Adajan, Surat.
Mob.: +91 99796 18009, Tele.: +91 261 2760787

THRISSUR

CLASSIC SANITARY EMPORIUM
Br. Classic Buildware,
11/ 479-A, Kolothumpady,
Irinjalakuda, Thrissur, Kerala.
Mob.: +91 98472 10693

TRICHY

SHRI RANGA AGENCIES
Shri Ranga Towers,
No. 9, Royal Road ,
Cantonment, Trichy,
Tele.: +91 431 2415751

KOLAHAPUR +91 93260 08009
LUCKNOW +91 93369 95222
LUDHIANA +91 99888 06328
MANGALORE +91 93412 99684
MORBI +91 99980 23914
MUMBAI +91 96198 12453
NASIK +91 95791 54555
NAGPUR +91 93734 64002
PUNE +91 74348 51112
PATNA +91 74348 51102
ROHTAK +91 72530 92929
RANCHI +91 73600 66902
RAIPUR +91 95222 23980
RAJKOT +91 99980 23910
SURAT +91 95588 14899
SILIGURI +91 90733 53733
TRISSUR +91 93877 12233
TIRUNELVELI +91 70944 74181
UDAIPUR +91 74348 51100
VIJAYAWADA +91 93466 08791
VISAKAPATNAM +91 93966 35554