

RICCO™ COLLECTION

UNDOUBTEDLY SAFE,

UNDENIABLY BEAUTIFUL




iM+

POSH
SURFACE

MADE IN INDIA
SINCE 1977


Simpolo[®]
ceramics



RICCO™
COLLECTION

W A R M T H O F R I C H N E S S



It is well established amongst the Architects and Designers that every now and then, we, 'Simpolo', brings new innovative ceramic products to the table. Here we are again, going a step closer to the richness, with the first of its kind, 'RICCO Collection' that is made with 'POSH Surface'.

'RICCO' consists of 18 extraordinary designs separated into three sub-collections according to their visual appeal.

18 D E S I G N S

3 S E R I E S

2 S I Z E S

AN IDEAL SOLUTION FOR HEAVY TRAFFIC INDOOR SPACES



OFFICE AND
LOUNGE



SPA AND
SALON



HOTEL AND
RESTAURANT




We understand that for heavy traffic indoor spaces you need tiles that are highly durable and so we bring you the perfect solution with the Ricco collection. This collection is the ideal solution for heavy traffic areas.

RICCO™

COLLECTION

The Ricco Collection comes in two amazing sizes of 120x240cm and 120x180cm. These are designed keeping in mind the requirements of large spaces and heavy traffic in indoor areas. With these sizes of tiles, the installation process becomes easier and faster and it also gives your area a wide and uncluttered look as the grouting lines decrease.






Antibacterial
surface




Lowest
maintenance
efforts


LIQUID
REPELLENT


STAIN
RESISTANT


SCRATCH
RESISTANT


FIRE
RESISTANT


RESISTANT TO
UV RAYS


IMPACT
RESISTANT


FROST
RESISTANT

iM⁺ TECHNOLOGY

TOWARDS A BETTER YOU

While our control over the happenings in the world outside is quite limited, we must surely take onus of safety within our own happy place. Today, one's safety, health and wellness are amongst the greatest concerns globally, and this has given us an opportunity to innovate, and to come up with unique solutions that either eliminate or lessen the challenges we face each day.

Utilizing our latest production system, Continua+, we introduce you to a technology that removes uncertainties or doubts involving safety within your home - 'iM⁺ Technology'. The technology helps the product surface repel any liquid and does not allow unwanted or harmful living organisms to stay or grow. This water repellent and anti-bacterial surface created with 'iM⁺' requires the lowest maintenance efforts, keeping you from second-guessing your safety indoors.



COLORBODY

9mm THICKNESS



CONFIDENTLY SMOOTH, COMFORTABLY ELEGANT.

As smooth as the breezing wind, 'POSH Surface' is yet another achievement for us. The exceptional surface is achieved with the exclusive and patented technology, 'Continua+', which is the first of its kind in India. It takes the surface quality to where no other technology can reach. Laying your hands on it will make you realize the elegance of the finish and you will understand how the 'Posh' feels like.

With this innovation, we have overcome the myth that smooth surfaces get scratches and stains. Despite having the unmatched smoothness, 'POSH Surface' is resistant to scratches.



SANDSTAR

BEOLA

CHEPPO
PURE

CHEPPO
BEACH

NEATSTONE

SANDSTAR
BEACH

R I C C O
EARTH



BLISS OF
NATURE

There are countless amount of stones that our mother Earth possesses. 'RICCO Earth' takes its inspiration from the same. The six playful and dynamic stone designs will add subtileness to your spaces.

RICCO™
COLLECTION



SANDSTAR

\\

Size - 120x180cm


Surface - Posh

Thickness - 9mm





SANDSTAR




SANDSTAR


Technology - iM⁺

Type - colorbody

Thickness - 9mm



Random - 3



Random - 3



BEOLA

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm





BEOLA




BEOLA

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 2



Random - 2



CHEPPO PURE



Size - 120x180cm

Surface - Posh

Thickness - 9mm





CHEPPO PURE




CHEPPO PURE

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 3



Random - 3



CHEPPO BEACH

\ \

Size - 120x180cm

Surface - Posh


Thickness - 9mm



RICCO CO... ON - EA... SERIES...



CHEPPO BEACH




CHEPPO BEACH

Technology - iM⁺

Type - colorbody

Thickness - 9mm





NEATSTONE

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm





NEATSTONE




NEATSTONE

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 3



Random - 3



SANDSTAR BEACH

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm



RICCO COLLECTION / EARTH SERIES



SANDSTAR BEACH




SANDSTAR BEACH

Technology - iM⁺


Type - colorbody

Thickness - 9mm


POSH
SURFACE



Random - 3



Random - 3



FUSONYX
DOVE

CINEREA
RIVER

MICHELANGELO
RUST

STATUARIO
NEX

STATUARIO
PRESTO

STATUARIO
RHYME

RICCO
MOON



SEIZE THE
BRILLIANCE

The four classic white designs and two complimenting greys are best if you are looking to go the classic and sophisticated way with your spaces.

RICCO™
COLLECTION



FUSONYX DOVE

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm





FUSONYX DOVE




FUSONYX DOVE

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 3



Random - 3



CINEREA RIVER

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm





CINEREA RIVER




CINEREA RIVER

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 4



Random - 4



MICHELANGELO RUST

\ \

Size - 120x180cm



Surface - Posh

Thickness - 9mm





MICHELANGELO RUST




MICHELANGELO RUST


Technology - iM⁺

Type - colorbody

Thickness - 9mm



Random - 4



Random - 4



STATUARIO NEX

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm





STATUARIO NEX




STATUARIO NEX

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 4



Random - 4



STATUARIO PRESTO

\ \

Size - 120x180cm


Surface - Posh

Thickness - 9mm





STATUARIO PRESTO




STATUARIO PRESTO

Technology - iM⁺

Type - colorbody

Thickness - 9mm

POSH
SURFACE





STATUARIO RHYME

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm



RICCO COLLECTION - MOON SERIES



STATUARIO RHYME




STATUARIO RHYME

Technology - iM⁺


Type - colorbody

Thickness - 9mm


POSH
SURFACE



Random - 4



Random - 4



ARMANI
MOCHA

COPPER

FUSONYX
BEACH

ARMANI
SUN

BOTTOCHINO
CALDO

ROYAL
TAUPE

R I C C O
SUN



EXPLORE
PURE RADIANCE



From light cream to dark brown, the warm designs of classic marbles and the adventurous fusions, are capable of adding a touch of comfort and warmth to your spaces.

RICCO™
COLLECTION



FUSONYX BEACH

\\

Size - 120x180cm

Surface - Posh

Thickness - 9mm





FUSONYX BEACH




FUSONYX BEACH

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 3



Random - 3



ARMANI SUN

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm





ARMANI SUN




ARMANI SUN

Technology - iM⁺

Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 3



Random - 3



BOTTOCHINO CALDO

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm





BOTTOCHINO CALDO




BOTTOCHINO CALDO

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 3



Random - 3



ROYAL TAUPE

\ \

Size - 120x180cm


Surface - Posh

Thickness - 9mm





ROYAL TAUPE




ROYAL TAUPE

Technology - iM⁺


Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 3



Random - 3



ARMANI MOCHA

\\

Size - 120x180cm


Surface - Posh

Thickness - 9mm





ARMANI MOCHA




ARMANI MOCHA

Technology - iM⁺

Type - colorbody

Thickness - 9mm

POSH
SURFACE



120x
240cm

Random - 3



120x
180cm

Random - 3



COPPER

\ \

Size - 120x180cm

Surface - Posh

Thickness - 9mm





COPPER




COPPER

Technology - iM⁺

Type - colorbody

Thickness - 9mm

POSH
SURFACE



Random - 3



Random - 3

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF SIMPOLO	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value >90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3< Gloss Value <7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7< Gloss Value <18	Gloss Meter 60°
Structural Properties			
Water absorption	≤0.50 %	≤0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(15mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Polished Min. 4*/ Satin, Posh & Matt Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Polished Min. 2 / Satin & Posh Min. 3 / Matt Min. 4	ISO 10545-7
Deep abrasion resistance #	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(<12) / Posh ≥P1(12-24) / Matt ≥P2(25-34)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R13	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

Parameters are applicable for 1st Choice/Premium Grade Materials Only.

* With Nano polished

** Except Hydrofluoric Acid & it's compound


Tiles Intended for use on floor

As per customer requirement

Packing Details

PRODUCT	SIZE	ACTULE SIZE	SIZE IN INCH	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
RICCO	120x240cm	1200x2400mm	48x96in	9mm	1pc	31.00 Sq ft	2.88 Sq m
	120x180cm	1200x1800mm	48x71in	9mm	2pc	46.50 Sq ft	4.32 Sq m

Installation Suggestions



Traditional Floor Laying

Laying SIMPOLO Tiles requires similar laying conditions to those required for traditional formats. Requires the adhesive to be applied both on the setting bed and on the back of the tile.

SIMPOLO Tiles for flooring require the following conditions:

- A flat surface;
- Clean and free from dust, scraps and any lumps of cement;
- The setting bed must be uniform and have already undergone the drying shrinkage process;
- Repair of any cracks;
- Any uneven parts on the surface must be filled with suitable levelling compounds.

INSTRUMENTS REQUIRED

- Cement-based powder adhesive for full spread
- 3x3mm square toothed trowel and 15mm round toothed trowel;
- Frame with suction cups for handling or double suction cups;
- Non-bounce plastic mallet 170x370mm;
- Levelling system: base clip + wedge + pliers.

PROCESSING STAGES

BONDING TO THE FLOOR

- 1) Ensure that the surface to be covered is solid, flat and free from dust and oil/grease.
- 2) Use the adhesives described above mixed according to the specifications indicated in the technical data sheet of the chosen adhesive.
- 3) Spread the adhesive onto the surface to be covered with a 15mm round toothed trowel across an area of 5/10 cm more than the dimensions of the Tile.
- 4) With the tile in a vertical position on the handling frame, spread the adhesive onto the back of the slab with a 3x3mm square toothed trowel.
- 5) Using the frame with suction cups, bring the tile into a horizontal position and lay it.
- 6) To guarantee uniform bonding of the slab, the special 170x370mm non-bounce plastic mallet must be used, tapping from the middle towards the edges so as to remove any air pockets between the back of the tile, the adhesive and the surface to be tiled.
- 7) Using the levelling system.

LEVELLING SYSTEM

The levelling system aims to guarantee perfectly levelled floors simply and quickly, eliminating any unevenness between the tiles. The levelling system is strongly recommended for laying SIMPOLO Tiles.

Instruments required

- Base clip;
- Wedge;
- Adjustable pliers for installing floors/wall tiles.

Application of the levelling system

Positioning the base clip:

- a) After spreading the adhesive, insert the base clip below the SIMPOLO tile on the 4 sides.
- b) Depending on the format of the tile, position one or more supports for each side of the tile.
- c) Position the tile.

Inserting the wedge:

- a) Insert the wedge in the slot of the support, taking care not to exceed the breaking point.
- b) To make inserting the wedge easier, it is recommended to use the adjustable pliers.

Removing the support:

- a) Once the adhesive has dried, the protruding part of the support can be separated from the base clip by tapping with your foot in line with the joint.

GENERAL ADVICE FOR GROUTING

Pay attention while choosing joint sealants: check the technical sheets, choose them shade matched and follow carefully the recommended cleaning times, as many new generation coloured sealants contain pigments and additives that can be very strong. For polished/glossy surfaces do not use epoxy grouts or synthetic based flexible mortars (Flexfughe) and do not add additives/latexes to the grout, as they make the removal of residues with standard detergents very difficult. However, should you decide to use them, it is recommended to make a previous test off site

Cleaning And Maintenance

Introduction

All SIMPOLO Tiles are easy to clean and maintain. Regular cleaning highlights the aesthetic features of the Tiles and gives the floor and Wall exceptional shine.

Initial Cleaning

The initial cleaning done immediately after the flooring laid is of essential importance for removing all mortar, adhesives and epoxy residues that may be left in the joints. In this initial phase, we recommend that you use an acid product such as Clenza, in a 1:5 concentration. Rub

energetically to obtain the maximum cleaning. After washing the floor, which is just as important, rinse thoroughly with plenty of water to remove all traces of the detergent used. These steps are recommended for all SIMPOLO collections.

Maintenance And Care

Thanks to the characteristics of the production process (high firing temperature, raw materials of great quality, sinterizing process), the surface of SIMPOLO material is waterproof (the water absorption is minimum). Therefore the dirt cannot penetrate but it is necessary to remove it from the surface. For this procedure do not use detergents containing waxes or waxing products, in order to avoid the

forming of greasy layers; for choosing the most appropriate detergent refer to the following chapters. After the installation of floors, particularly of those made with polished materials, the surfaces should be adequately protected with particle board or other suitable materials in order to protect them from dirt and on-site processing. This prevents damage caused by subsequent processing.

General Recommendations

For commercial and heavily used surface areas such as airports, hospitals, supermarkets, and any public spaces with heavy foot traffic which are thus subject to considerable soiling, it is necessary to use automatic cleaning machines with suction of the washing liquids. This allows not only deep cleaning, but also the continuous removal of liquids containing substances that cause soiling, thus preventing the formation of films which are very difficult to remove. Any detergent on the market can be used in the desired concentration for cleaning the high

technology sinterized SIMPOLO products, with the exception of HYDROFLUORIC acid (HF) or its compounds, according to UNI-EN 176 standards. In order to keep costs limited and speed up maintenance operations, the concentration of the detergent must always be as low as possible. For raised floors we suggest to choose bright or polished surfaces in large sizes: these materials can be dry cleaned or with the minimum use of liquids. After the floor is laid it is necessary to make a very accurate initial cleaning with proper products.

Posh/Matt Tiles

For these Tiles, after completing the steps described in the section "Initial Cleaning", you only need to clean the floor with hot water containing small quantities of an alkaline detergent such as Red Harpic & Clenza in a concentration 1:200. On these types of surface it is not advisable to apply

a waterproofing product: the absence of porosity causes the waterproofing agent to deposit on the surface in an uneven way and to have unpleasant aesthetic effects.

Commonly Affected Stains Guidance

For highly aggressive cleaning caused by some common food and substances follow the table below.

Sr. No.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
A. DOMESTIC AREA			
1	GREEN VEGETABLE STAIN	WET COTTON CLOTH	MILD DETERGENT
2	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
3	DAL-SAMBHAR	WET COTTON CLOTH	CITRIC ACID/ NIMBU
4	CURRY	WET COTTON CLOTH	CITRIC ACID/ NIMBU
5	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/ NIMBU
6	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/ NIMBU
7	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/ MILD DETERGENT/ACETONE#/TURPENTINE#
8	SINDUR OIL MIX	WET COTTON CLOTH	BAKING SODA/ MILD DETERGENT/ACETONE#/TURPENTINE#
9	GHEE	WET COTTON CLOTH	BAKING SODA/ MILD DETERGENT/ACETONE#/TURPENTINE#
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
11	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
12	COFFIEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
13	WAX	WET COTTON CLOTH	PAINT REMOVER
14	LEAD PENCIL	WET COTTON CLOTH	PLAIN WATER/ HYDROCHLORIC ACID
15	SKETCH PEN	WET COTTON CLOTH	HOUSEHOLD DETERGENT
16	NORMAL COLOR PENCIL	WET COTTON CLOTH	HOUSEHOLD DETERGENT
17	WAX PENCIL	WET COTTON CLOTH	PAINT REMOVER
18	WATER COLOR	WET COTTON CLOTH	PLAIN WATER
19	MARKER	WET COTTON CLOTH	DILUTE SULPHURIC ACID#/ TOLUENE#/XYLENE#
20	NAIL POLISH	NAIL POLISH REMOVER	NAIL POLISH REMOVER
21	SHOE POLISH LIQUID	WET COTTON CLOTH	HOUSEHOLD DETERGENT
22	CHERRY SHOE POLISH	WET COTTON CLOTH	WET COTTON CLOTH
23	HAIR DYE	DILUTE NITRIC ACID	DILUTE NITRIC ACID
24	HAIR MEHENDI	DILUTE HYDROCHLORIC ACID	DILUTE HYDROCHLORIC ACID
25	LIPSTICS	WET COTTON CLOTH	HYDROGEN PEROXIDE/ HOUSEHOLD CLEANER
26	BLUE INK	WET COTTON CLOTH	ACETONE#/ TURPENTINE#/ TRICHLOROETHYLENE#
27	BLACK INK	WET COTTON CLOTH	ACETONE#/ TURPENTINE#/ TRICHLOROETHYLENE#
28	HAND MEHENDI	WET COTTON CLOTH	DILUTE HYDROCHLORIC ACID
29	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
30	GLUE	WET COTTON CLOTH	ACETONE#/ TURPENTINE#
31	UJALA	WET COTTON CLOTH	ACETONE#/ TURPENTINE#/ TRICHLOROETHYLENE#
32	TOMATO KETCHUP	WET COTTON CLOTH	CITRIC ACID/ NIMBU
33	OLIVE OIL	WET COTTON CLOTH	BAKING SODA/ MILD DETERGENT/ACETONE#/TURPENTINE#
34	MUSTERED OIL	WET COTTON CLOTH	BAKING SODA/ MILD DETERGENT/ACETONE#/TURPENTINE#
B. HOTEL / FAST FOOD/ CAFÉ HOUSE ETC			
1	DAL	WET COTTON CLOTH	CITRIC ACID/ NIMBU
2	CURRY	WET COTTON CLOTH	CITRIC ACID/ NIMBU
3	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
4	CHILLY	WET COTTON CLOTH	MILD DETERGENT
5	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/ MILD DETERGENT/ACETONE#/TURPENTINE#
6	PICKLE	WET COTTON CLOTH	CITRIC ACID/ NIMBU
7	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/ NIMBU
8	CHILLY SAUCE	WET COTTON CLOTH	BAKING SODA/ MILD DETERGENT
9	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/ CITRIC ACID/NIMBU
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT
11	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
12	WINE/ ALCOHOL	WET COTTON CLOTH	MILD DETERGENT
13	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
14	COFFIEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
15	ICE CREAM	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
16	CEGARETTE END	WET COTTON CLOTH	HYDROCHLORIC ACID

Sr. No.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
C. MISCELLANEOUS PLACE			
1	PAINT	WET COTTON CLOTH	PAINT REMOVER/ METHYLE ETHYL KETONE#/ TOLUENE#
2	EPOXY/RESIN	WET COTTON CLOTH	TRICHLOROETHYLENE#/DICHLORO METHANE#
3	GLUE	WET COTTON CLOTH	ACETONE#/ TURPENTINE#
4	RUST	WET COTTON CLOTH	HYDROCHLORIC ACID
5	TAR	WET COTTON CLOTH	TRICHLOROETHYLENE#/METHYLE ETHYL KETONE#
6	TYRE MARK	WET COTTON CLOTH	METHYLE ETHYL KETONE#
7	CEMENT	WET COTTON CLOTH	HYDROCHLORIC ACID
8	BLOOD	WET COTTON CLOTH	DILUTE NITRIC ACID
9	GREASE	WET COTTON CLOTH	DETERGENT
10	MOBIL OIL	WET COTTON CLOTH	DETERGENT
11	METHELEN BLUE	WET COTTON CLOTH	PHOSPHORIC ACID#/ HYDROCHLORIC ACID
12	IODENE	WET COTTON CLOTH	HYDROCHLORIC ACID
13	RED AGENT	WET COTTON CLOTH	WET COTTON CLOTH
14	GREEN AGENT	WET COTTON CLOTH	WET COTTON CLOTH
15	POTASSIUM PARMANGANET	WET COTTON CLOTH	HYDROCHLORIC ACID
16	VAERNISH	WET COTTON CLOTH	ACETONE# / TURPENTINE#

* IMMEDIATE CLEANING ACTION IS THE BEST WAY

* CHEMICALS REFERENCE ARE FOR FIRST SUGGESTION FOR ANY DETAILS CONTACT COMPANY PERSONNEL

DO NOT USE THESE CHEMICALS WITHOUT CONSIDERING EXPERT SUGGESTIONS

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.



Sintering Technology

The latest Sintering Technology is capable of reaching very high temperatures up to 1225°C. and above, therefore the technical characteristics of ceramics are strengthened and amplified. The resultant product has high strength with certain amount of Elastic flexibility.



Impact Resistance

This material has incredible Strength, MOR is 40N/mm² (Granite is 13.8N/mm²), breaking strength 2000N (at least 30% to 40% better than Granite) and an impact resistance of 0.55.



Zero Water Absorption (<0.06%)

The sintering at exceptionally high temperatures renders the product resistant to Scratching, staining and fading because of it's near zero water absorption (<0.06%) whereas in case of Granite, it is 0.15%.



Stain Resistant

Low porosity makes these sintered surfaces impervious to harsh chemicals like bleach, hydrochloric acid and other cleaning agents. Sintered slabs are able to withstand extreme heat and can be spray painted with no irreversible damage to the material.

Simpolo Experience Center / Gallery / Shopee

GOA (Nuvem)

SIMPOLO EXPERIENCE CENTER
S. No. 223,
Beside kunde Suzuki, Old NH 17,
Nuvem Salcete, Goa - 403 604
Mob.: +91 95298 50441

AMRITSAR

THE INDIAN MARBIE & GRANITE
Shop No. 8 Ranjit Ave E block Market
Opp. Chinmaya Mandhir,
Punjab - 143 001.
Mob.: +91 98552 03533

BARODA

SIMPOLO MARKETING
29, Dhanlaxmi Complex,
Opp. Manglaya Hall, Near Airport Char Rasta,
Harni Road, Baroda.
Mob.: +91 99749 60603

BHOPAL

SHRI GORAJI MARBLE
Plot No 91 - A,
Airport Main Road,
Near SBI Bank, Bhopal.
Mob.: +91 84629 40479, +91 81093 44201

CHENNAI

I. K. CLASSIVA
867, Poonamallee High Road,
Opp. Kilpauk Police Station,
Before Sangam Theatre
Kilpauk, Chennai - 600 010.
Mob.: +91 98404 61888, +91 99402 52706

COCHIN

SREE VENKATESWARA AGENCIES
XI/3397,
I. D. East Sannidhi Road,
Ernakulam - 682035
Mob.: +91 97444 45454

DHULIYA

VIRAJ CERAMICS
87/6, Opp. Hotel Sheetal,
Parola Road, Balapur,
Dhule - 424 001.
Mob.: +91 98501 80401

HIMMATNAGAR

CERAMIC GALLERY
Sankalp Complex, Samlaji Highway,
Near Collage, Motupura,
Himmatnagar.
Mob.: +91 99798 93772, +91 99798 75772

HYDERABAD

CERAMIC INC.
Solanki Plaza, 8-2-293/K/307,
Kamalapur Colony, Opp. Green Bawarchi Hotel,
Hyderabad - 500 073.
Tele.: +91 40 23334040, Mob.: +91 90000 18041

JAIPUR

IMPOLO GOLDEN WINGS TILE SQUARE
12, dharam nagar,
gopalpura byepass,
Jaipur, Rajasthan.
Mob.: +91 8955594647

KAKINADA

OME AGENCIES
#69-12-29/1, Near Spancer S,
Pithapuram Road,
Kakinada - 533 005.
Mob.: +91 9553300022

KOLHAPUR

KARADE CERAMICS
Laxmi puri,
opp adarsha Bhima Vastram,
Kolhapur.
Mob.: +91 99704 42244

AGRA

ARAVALI CERAMICS COMPANY
(SIMPOLO GALLERY)
NH. 2, Mauja Kuberpur,
Near Reliance Petrol Pump,
Tehsil Etmadpur, Agra.
Mob.: +91 99971 77711

AURANGABAD

VIJAY HOUSE OF FLOORINGS
9, Ajmera Towers,
Below Bank of Baroda,
Garkheda, Aurangabad - 431 005.
Mob.: +91 92724 84848

BHAVNAGAR

H. F. INTERIORSS
Plote No.36 , "Anjaney", Ground Floor,
Beside D.B. Bath , Nr. Kaliyabid Water tank,
Opp. Victoriya Park, Bhavnagar.
Tele.: +91 278 2560215 / 16
Mob.: +91 99099 93244

BHUBANESWAR

CERAMIC WORLD
602, Rasulgroh,
Opp. Kochilei Market,
Cuttack Road, Bhubneswar.
Mob.: +91 92384 99102

CHIKHLI

PRUTHVI ENTERPRISE
Chikhli Bilimora Road,
Chikhli, Dist. Navsari.
Tele.: +91 2634 231200
Mob.: +91 98251 79455

CUTTACK

CERAMIC SALES CORPORATION
Plot No.1650/2792,
Gopalpur, NH - 5,
Cuttack - 753 001.
Mob.: +91 92384 99114

GANDHIDHAM

SIMPOLO GALLERY
Sec. 1-A, Plot 91, First Floor,
Gandhidham (Kutch).
Mob.: +91 94267 37808

HISAR

SHRI RAM TILES & SANITARYWARE
Priti Nagar, Balsamand Road,
Opp. Nagar Nigam, Hisar (Haryana)
Mob.: +91 94162 44559, +91 94666 41718

HYDERABAD

CERAMIC INC.
HNO#4/70/37,
Adarsh Nagar, Nagole,
Secunderabad
Tele.: +91 40 65694040 / 5050

JAORA

SHUBH MARBLE AND GRANITE,
30, Industrail Area,
Jaora (M.P.).
Mob.: +91 98275 62933

KALABURAGI

SIMPOLO
S B patil nagar,
chandrakant patil school area,
sedam main road, kalaburagi 585105
Mob.: +91 8970941000

KOLKATA

SIMPOLO GALLERY
Ground Floor, D.B.52,
Salt Lake City, Sector 1,
Kolkata - 700 064.
Mob.: +91 90733 53728

AHMEDABAD

SIMPOLO GALLERY
First Floor, 103, Sumel - 2,
Nr. Gurudwara, S.G. Highway,
Bodakdev, Ahmedabad - 54.
Mob.: +91 79 40037222

BANGALORE

SIMPOLO GALLERY
#79 /1 & 144 /1-9, Kalkere Main Road,
Horamavu Village, Bangalore - 560 043.
Tele.: +91 80 65462222, 65363333
Mob.: +91 99002 31333

BHILWARA

HINDUSTAN CERAMIC DISTRIBUTORS
Shop No - 12, 13 Surbhi Enclave
Opp. Gaytri Mandir Ashram Ajmer Road,
Bhilwara.
Mob.: +91 98290 40088

CHANDIGARH (Zirakpur)

New Tile World
Zirakpur Patiala Road,
Zirakpur (Mohali)

COCHIN

SIMPOLO GALLERY
33/2380 A-A1, NH Bypass,
Vyasaali Bus Stop, Chakkraparambu,
Cochin - 682 032.
Mob.: +91 93493 39938

DEHRADUN

AARAMBH CERAMICS
#241/2, First Floor, GMS Road,
Near Ballpur Chowk, Satya Vihar Ballpur,
Dehradun, Uttarakhnad - 248 006.
Mob.: +91 72520 02000

GORAKHPUR

SRIRAM TILES
Lahiri Building, Bank Road,
Gorakhpur - 273 001
Mob.: +91 94152 12082

HUBLI

KOLIWAD MARBLE AND GRANITE
Near Manickbag Showroom,
P.B. Road, Vidhyanager,
Hubli.
Tele.: +91 836 2372580 / 4252580

INDORE

PARAG
Race Course Road,
Indore.
Fax: +91 731 2547598
Tele.: +91 731 2535659 / 60

JODHPUR

SUN - DEEP TILES
E-73, Kalptaru Shopping Center,
Shastrri Nagar,
Jodhpur - 342 001.
Mob.: +91 96720 11000

KOLHAPUR

CHANDWANI CERAMIC
Opp. Patel Shivtara,
Kolhapur Sangli Road
Shrioli Plot No.65/6, Shrioli.
Tele.: +91 98220 42900

KOTA

AASHIYANA
285 Cm Tower Shopping Center,
Kota 324007, Rajasthan
Mob.: +91 98299 99937

MUMBAI

SIMPOLO GALLERY
Unit No.: 203, 2nd Floor, Morya Land Mark 2,
Near Infinity Mall, Link Road,
Andheri (W), Mumbai - 400 053
Tele.: +91 22 40167131

NASHIK

THE CERAMIC STUDIO
Shop No.18, Business Bay,
Shrihari Kute Marg, Tidke Colony,
Mumbai Naka, Nashik - 422 002.
Mob.: +91 88477 88888

NEW DELHI

TECHNO STONE
Khasra No. 12, Fatehpur Beri,
Chattarpur Mandir Road,
Opp. Narayani Devi Charitable Dispnsary &
Canara Bank, New Delhi - 110 074.
Tele.: +91 11 65456660

PUNE

SRI PARAM MARKETING
Vasant Vastu, Ground Floor,
Near Saubhagya Mangal Karyalay,
Near City International School,
Maharshi Nagar, Pune - 37.
Mob.: +91 90280 11200 / 300

RAJKOT

SIMPOLO GALLERY
Govardhan Society, Opp. Hill Burg App.,
Near Golden Super Market,
Vidhyakunj Main Road, Rajkot.
Mob.: +91 78744 74448

SANGAMNER

CERAMIC CENTER
Opp. Barf Karkhana,
Mathurabai Nagar, Kasara Dumala,
Akola Road, Sangamner. (M.H.)
Mob.: +91 95616 13633

SILIGURI

S.S. SANITATION
Mittal Square, 2nd Floor,
Opp. Anandaloke Nursing Home,
Sevoke Road, Siliguri - 734001 (W.B)
Mob.: +91 94340 27755

THRISSUR

CLASSIC SANITARY EMPORIUM
Br. Classic Buildware,
11/ 479-A, Kolothumpady,
Irinjalakuda, Thrissur, Kerala.
Mob.: +91 98472 10693

TRICHY

SHRI RANGA AGENCIES
Shri Ranga Towers,
No. 9, Royal Road,
Cantonment, Trichy.
Tele.: +91 431 2415751

NAGAUR

WELCOME TILES AND SANITARY
Basni Road, Nagaur - 341 001,
Rajasthan
Mob.: +91 97840 32045, 988758 7715

NEEMUCH (MP)

CAPTAIN TILES CENTER
425, Scheme No. 36-A, Opp. Collector Office,
Neemuch, Madhya Pradesh.
Mob.: +91 98980 60635
Email: captaintiles@yahoo.in

NOIDA

SIMPOLO VITRIFIED PVT .LTD
H.139, First Floor,
Sector-63 Noida,
Uttar Pradesh - 201 301
Tele.: +91 72270 21894

PUNE

STONE CAPITAL BY BHIKSHU GRANMART LLP
Mula Road, Khadki, Pune,
Maharashtra - 411 003
Mob.: +91 96076 30707

RANCHI

PINK CITY MARBLE
Piska More, Ratu Road,
Ranchi - 834 005.
Mob.: +91 94313 51883, +91 94311 70475

SANGLI

VARDHMAN ENTERPRISE
213, Sangli Kolhapur Road,
Opp. Hyundai Showroom, Sangli-Ankai.
Tele.: +91 233 2422022 / 20
Mob.: +91 90110 93588, +91 89830 93588

SIRSA

Deepak Marbles
Suratgar Bazar,
Sirsa.
Mob.: +91 98961 00032

TIRUPUR

NANDHI PIPES
No.39, Vignesh Nagar, Kaikattipudur,
Tirupur Main Road, Avinashi - 641 654.
Tele.: +91 4296 275740
Mob.: +91 94432 83885

TRICHY

AVTHAR CERAMICS
No.1, New Chilian Nagar,
Trichy to Chennai bye pass. Road
Trichy - 2.
Mob.:+91 75400 00186

NAGPUR

NATURAL CERAMIC
Municipal House 31 63/a/388,
Hiwari Nagar Layout, Nagpur,
Maharashtra - 440 008.
Mob.: +91 73878 37332, +91 94236 80788

NEPAL

JJ MARBLE HOUSE
G.P.O Box No. 56,
14/389, Tokha Road,
Kathmandu, Nepal.
Tele.: +977 14381218

PALAKKAD

M/S. K A V. SHAIK ROWTHER
31/671 Market Road,
Palakkad - 678 014,
Kerala.
Tele.: +91 491 2502301, 2537771

RAIPUR

HOME STYLE & DECOR PVT.LTD
Beside NH MMI Hospital,
Oppsite Maruti Heritage,
Dhamtari Road,Raipur-492001 (C.G) India
Mob.: +91 98266 41666

REWA

SANJAY TILES HOUSE
Opp. New Bus stand,
Near uppal, Motors, NH-7,
Rewa -123 401, Madhya Pradesh

SATNA

MAHALAXMI TILES
Gandhi Chowk,
Satna. (M.P.)
Mob.: +91 94247 62988

SURAT

SIMPOLO GALLERY
105-106, 1st Floor, Sapphire Business Hub,
Opp. Green Arcade,
Madhuvan Circle to Green City Road,
L.P. Savani Road, Pal. Adajan, Surat - 395 009
Mob.: +91 99796 18009, Tele.: +91 261 2760787

TIRUPUR

KAILAS TRADERS
4/193(1), Bharathi Nagar,
Veerapapandi (po), Palladam Road,
Tirupur - 641 605.
Mob.: +91 98941 34340

TRIVANDRUM (Kerala)

TARA SANITARY WARES AND TILES
Goodwill Tower, Pattom Plamoodu Road,
Pattom, Trivandrum, Kerala - 695 004.
Mob.: +91 94470 55212

Our Representative

AMRITSAR	+91 72280 10183
AGRA	+91 75748 62730
AHMEDABAD	+91 99980 23911
AURANGABAD	+91 86981 16989
BHATINDA	+91 85951 97548
BANGALORE	+91 93411 69424
BARODA	+91 99989 51003
BHOPAL	+91 93030 23222
BHUBANESWAR	+91 99256 23322
BHUJ	+91 97252 40551
BIKANER	+91 74348 51099
BILASPUR	+91 95222 23979
CHANDIGARH	+91 93179 95222
CALICUT	+91 75748 62674
COCHIN	+91 93493 39938
CHENNAI	+91 70944 74180
COIMBATORE	+91 70944 74183
DELHI (N/W)	+91 74348 51091
DELHI (S/E)	+91 93132 62007
DEHRADUN	+91 93586 66607
GURGAON	+91 99533 50368

GUWAHATI	+91 74348 51076
GHAZIABAD	+91 72289 53030
GWALIOR	+91 85179 74222
GOA	+91 74348 51077
HIMACHAL	+91 74348 51096
HISAR	+91 75748 62785
HARYANA	+91 93151 11717
HALDWANI	+91 75748 62986
HARIDWAR	+91 75748 62729
HUBLI	+91 93798 32244
INDORE	+91 93000 97056
JMMU & KASHMIR	+91 75748 62776
JALANDHAR	+91 93570 32211
JABALPUR	+91 93298 27222
JAIPUR	+91 74348 51097
JODHPUR	+91 95879 25005
KARNAL	+91 75748 62793
KOLKATA	+91 90733 53728
KANPUR	+91 74348 51095
KANNUR/KASARGO	+91 93886 46777
KOTTAYAM	+91 70960 33349

KOLAHAPUR	+91 93260 08009
LUCKNOW	+91 93369 95222
LUDHIANA	+91 99888 06328
MANGALORE	+91 93412 99684
MORBI	+91 99980 23914
MUMBAI	+91 96198 12453
NASIK	+91 95791 54555
NAGPUR	+91 93734 64002
PUNE	+91 74348 51112
PATNA	+91 74348 51102
ROHTAK	+91 72530 92929
RANCHI	+91 73600 66902
RAIPUR	+91 95222 23980
RAJKOT	+91 99980 23910
SURAT	+91 95588 14899
SILIGURI	+91 90733 53733
TRISSUR	+91 93877 12233
TIRUNELVELI	+91 70944 74181
UDAIPUR	+91 74348 51100
VIJAYAWADA	+91 93466 08791
VISAKAPATNAM	+91 93966 35554

TILES & SANITARYWARE



Simpolo Vitrified Private Limited

HEAD OFFICE

Old Ghuntu Road, MORBI - 363 642.
Gujarat, INDIA Tele.: +91 2822 241622,
E-mail: customercare@simpolo.net

Simpolo Ceramics, USA Inc.

NEW YORK

1140 Avenue Of The America,
New York 10036 (P)
Tele.: (212) 884-8825

CALIFORNIA

626 Wilshir BLVD, Suite 410,
Los Angeles, California 90017
Tele.: (213) 7327818

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.
Tele.: +91 22 40167131, E-mail: mumbai@simpolo.net

AHMEDABAD

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.
Tele.: +91 79 400 37222, +91 79 400 52220, E-mail: ahmedabad@simpolo.net

DELHI

H-139, First Floor, Sector-63, Noida - 201 301, Uttar Pradesh.
Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.
Mob.: +91 93493 39938, Fax: +91 4844 037118, E-mail: cochin@simpolo.net

KOLKATA

Ground Floor, DB - 52, Salt Lake City, Sector 1, Kolkata - 700 064. (W.B.)
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net